

# Specification for Approval

## 产品承认书

|               |                 |
|---------------|-----------------|
| Customer:     |                 |
| Customer P/N: |                 |
| VOOHU P/N:    | WHD20701G       |
| Version No.:  | V0.1            |
| Description:  | 100/1000 BASE-T |
|               | Laser Marking   |

| SUZHOU VOOHU Company Approval |               | Customer Approval<br>(客户承认签章) |
|-------------------------------|---------------|-------------------------------|
| DRAWN                         | Geoffrey.Song |                               |
| CHECKED                       | Sunny.Xu      |                               |
| APPROVED                      | Elvis. Song   |                               |
| 日期DATE::2024/7/13             |               | 日期DATE:                       |

Please Return One Copy to Us After Approved,TKS! (承认后请回寄一份,谢谢)

**VOOHU 沃虎**


—— 连接世界 · 通信未来 ——

苏州沃虎电子科技有限公司  
SuZhou Voohu Electronic Tech.Co.,Ltd


地址：江苏省苏州市吴江区阿尔法大厦A栋  
ADD: Building A, Alpha Building, Wujiang District,  
Suzhou City, Jiangsu Province

TEL: +86 400 1048 018      WEB: www.wohu-tek.com/  
+86 13338655578      E-MAIL: wohu@wohu-tek.com

A. MECHANICAL(unit:mm)



B. Schematics



**VOOHU** 苏州沃虎电子科技有限公司  
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: [WWW.WOHU-TEK.COM](http://WWW.WOHU-TEK.COM)

TITLE:  
100/1000 BASE-T

PART NO.:  
WHD20701G

REMARK:


SIZE  
A4

SACLE  
1:1

SHEET  
1/3

UNITS  
MM[INCH]

REV  
A0



GENERAL TOLERANCES  
UNLESS SPECIFIED


|                 |                            |
|-----------------|----------------------------|
| $x \pm 0.35$    | $x^\circ \pm 3.0^\circ$    |
| $.x \pm 0.30$   | $.x^\circ \pm 2.0^\circ$   |
| $.xx \pm 0.25$  | $.xx^\circ \pm 1.5^\circ$  |
| $.xxx \pm 0.10$ | $.xxx^\circ \pm 1.0^\circ$ |



APPROVED BY:  
Geoffrey.Song

CHECKED BY:  
Elvis.Song


DESIGND BY:  
Sunny.Xu

#### D. RECOMMEND WAVE SOLDERING CURVE




|  |   |                           |              |   |  |            |                               |
|--|---|---------------------------|--------------|---|--|------------|-------------------------------|
| <div> 苏州沃虎电子科技有限公司</div> <div>Su Zhou Voohu Electronic Tech.Co.Ltd</div> |   | TITLE:<br>100/1000 BASE-T | SIZE<br>A4   | UNITS<br>MM[INCH]   | GENERAL TOLERANCES<br>UNLESS SPECIFIED |            | APPROVED BY:<br>Geoffrey.Song |
|  |   | PART NO.:<br>WHD20701G    | SACLE<br>1:1 | REV<br>A0   | x±0.35                                 | x°±3.0°    | CHECKED BY:<br>Elvis.Song     |
|  |   |                           |              |   | .x±0.30                                | .x°±2.0°   |                               |
| TEL: +86 400 1048 018  | WEB: <a href="http://WWW.WOHU-TEK.COM">WWW.WOHU-TEK.COM</a> | REMARK:                   | SHEET<br>2/3 |  | .xx±0.25                               | .xx°±1.5°  | DESIGND BY:<br>Sunny.Xu       |
|  |   |                           |              |   | .xxx±0.10                              | .xxx°±1.0° |                               |

E. Packaging specification



Tube: 545\*12.7\*11.8mm



Carton: L550\*W240\*H210mm

Package Quantity:  
One Tube=25Pcs  
One Carton=25\*320=8000Pcs

|   |  |   |                           |  |              |                   |  |            |                               |  |
|---|--|---|---------------------------|--|--------------|-------------------|--|------------|-------------------------------|--|
| <div><div>VOOHU</div><div>苏州沃虎电子科技有限公司</div><div>Su Zhou Voohu Electronic Tech.Co.Ltd</div></div> |  |   | TITLE:<br>100/1000 BASE-T |  | SIZE<br>A4   | UNITS<br>MM[INCH] | GENERAL TOLERANCES<br>UNLESS SPECIFIED |            | APPROVED BY:<br>Geoffrey.Song |  |
|   |  |   | PART NO.:<br>WHD20701G    |  | SACLE<br>1:1 | REV<br>A0         | .x±0.35                                | x°±3.0°    | CHECKED BY:                   |  |
|   |  |   | REMARK:                   |  | SHEET<br>3/3 |                   | .xx±0.25                               | .xx°±1.5°  | DESIGND BY:                   |  |
| TEL: +86 400 1048 018   |  | WEB: <a href="http://WWW.WOHU-TEK.COM">WWW.WOHU-TEK.COM</a> |                           |  |              |                   | .xxx±0.10                              | .xxx°±1.0° | Sunny.Xu                      |  |