

1		2		3		4		5		6		7		8	
REACH & RoHS COMPLIANT															
A. MECHANICAL(unit:mm)															
<p>Top View Dimensions: 7.82 ±0.50, 8.75 ±0.50, 12.00 ±0.50, 0.60 ±0.10, 0</p>															



[illegible]

MSL:
Grade: 1 level. Floor life: 0.5 year Condition: $\leq 30^{\circ}\text{C}/60\%\text{RH}$.
Ramp up rate = 3°C/s max Ramp down rate = 6°C/s max
TL = 217°C tL = 60s-150s Tp = $250 \pm 3^{\circ}\text{C}$ Time within 5°C of actual Peak Temperature (tp): 20~40s
Ts min = 150°C Ts max = 200°C Ts min to Ts max: 60s-180s, 25°C to peak Temperature: 8minutes max


Technical drawing of a 35mm film magazine, showing front, side, and top views with dimensions in mm.

Front View Dimensions:


- Overall width: $W 16 \pm 0,3$
- Top flange thickness: $F 7,5 \pm 0,1$
- Top flange width: $E 1,75 \pm 0,1$
- Frame width: $P1 4 \pm 0,1$
- Frame pitch: $P1 20 \pm 0,1$
- Frame width: $P2 2 \pm 0,1$
- Frame pitch: $P2 20 \pm 0,1$
- Frame width: $P3 2 \pm 0,1$
- Frame pitch: $P3 20 \pm 0,1$
- Frame width: $P4 2 \pm 0,1$
- Frame pitch: $P4 20 \pm 0,1$
- Frame width: $P5 2 \pm 0,1$
- Frame pitch: $P5 20 \pm 0,1$
- Frame width: $P6 2 \pm 0,1$
- Frame pitch: $P6 20 \pm 0,1$
- Frame width: $P7 2 \pm 0,1$
- Frame pitch: $P7 20 \pm 0,1$
- Frame width: $P8 2 \pm 0,1$
- Frame pitch: $P8 20 \pm 0,1$
- Frame width: $P9 2 \pm 0,1$
- Frame pitch: $P9 20 \pm 0,1$
- Frame width: $P10 2 \pm 0,1$
- Frame pitch: $P10 20 \pm 0,1$
- Frame width: $P11 2 \pm 0,1$
- Frame pitch: $P11 20 \pm 0,1$
- Frame width: $P12 2 \pm 0,1$
- Frame pitch: $P12 20 \pm 0,1$
- Frame width: $P13 2 \pm 0,1$
- Frame pitch: $P13 20 \pm 0,1$
- Frame width: $P14 2 \pm 0,1$
- Frame pitch: $P14 20 \pm 0,1$
- Frame width: $P15 2 \pm 0,1$
- Frame pitch: $P15 20 \pm 0,1$
- Frame width: $P16 2 \pm 0,1$
- Frame pitch: $P16 20 \pm 0,1$
- Frame width: $P17 2 \pm 0,1$
- Frame pitch: $P17 20 \pm 0,1$
- Frame width: $P18 2 \pm 0,1$
- Frame pitch: $P18 20 \pm 0,1$
- Frame width: $P19 2 \pm 0,1$
- Frame pitch: $P19 20 \pm 0,1$
- Frame width: $P20 2 \pm 0,1$
- Frame pitch: $P20 20 \pm 0,1$
- Frame width: $P21 2 \pm 0,1$
- Frame pitch: $P21 20 \pm 0,1$
- Frame width: $P22 2 \pm 0,1$
- Frame pitch: $P22 20 \pm 0,1$
- Frame width: $P23 2 \pm 0,1$
- Frame pitch: $P23 20 \pm 0,1$
- Frame width: $P24 2 \pm 0,1$
- Frame pitch: $P24 20 \pm 0,1$
- Frame width: $P25 2 \pm 0,1$
- Frame pitch: $P25 20 \pm 0,1$
- Frame width: $P26 2 \pm 0,1$
- Frame pitch: $P26 20 \pm 0,1$
- Frame width: $P27 2 \pm 0,1$
- Frame pitch: $P27 20 \pm 0,1$
- Frame width: $P28 2 \pm 0,1$
- Frame pitch: $P28 20 \pm 0,1$
- Frame width: $P29 2 \pm 0,1$
- Frame pitch: $P29 20 \pm 0,1$
- Frame width: $P30 2 \pm 0,1$
- Frame pitch: $P30 20 \pm 0,1$
- Frame width: $P31 2 \pm 0,1$
- Frame pitch: $P31 20 \pm 0,1$
- Frame width: $P32 2 \pm 0,1$
- Frame pitch: $P32 20 \pm 0,1$
- Frame width: $P33 2 \pm 0,1$
- Frame pitch: $P33 20 \pm 0,1$
- Frame width: $P34 2 \pm 0,1$
- Frame pitch: $P34 20 \pm 0,1$
- Frame width: $P35 2 \pm 0,1$
- Frame pitch: $P35 20 \pm 0,1$
- Frame width: $P36 2 \pm 0,1$
- Frame pitch: $P36 20 \pm 0,1$
- Frame width: $P37 2 \pm 0,1$
- Frame pitch: $P37 20 \pm 0,1$
- Frame width: $P38 2 \pm 0,1$
- Frame pitch: $P38 20 \pm 0,1$
- Frame width: $P39 2 \pm 0,1$
- Frame pitch: $P39 20 \pm 0,1$
- Frame width: $P40 2 \pm 0,1$
- Frame pitch: $P40 20 \pm 0,1$
- Frame width: $P41 2 \pm 0,1$
- Frame pitch: $P41 20 \pm 0,1$
- Frame width: $P42 2 \pm 0,1$
- Frame pitch: $P42 20 \pm 0,1$
- Frame width: $P43 2 \pm 0,1$
- Frame pitch: $P43 20 \pm 0,1$
- Frame width: $P44 2 \pm 0,1$
- Frame pitch: $P44 20 \pm 0,1$
- Frame width: $P45 2 \pm 0,1$
- Frame pitch: $P45 20 \pm 0,1$
- Frame width: $P46 2 \pm 0,1$
- Frame pitch: $P46 20 \pm 0,1$
- Frame width: $P47 2 \pm 0,1$
- Frame pitch: $P47 20 \pm 0,1$
- Frame width: $P48 2 \pm 0,1$
- Frame pitch: $P48 20 \pm 0,1$
- Frame width: $P49 2 \pm 0,1$
- Frame pitch: $P49 20 \pm 0,1$
- Frame width: $P50 2 \pm 0,1$
- Frame pitch: $P50 20 \pm 0,1$
- Frame width: $P51 2 \pm 0,1$
- Frame pitch: $P51 20 \pm 0,1$
- Frame width: $P52 2 \pm 0,1$
- Frame pitch: $P52 20 \pm 0,1$
- Frame width: $P53 2 \pm 0,1$
- Frame pitch: $P53 20 \pm 0,1$
- Frame width: $P54 2 \pm 0,1$
- Frame pitch: $P54 20 \pm 0,1$
- Frame width: $P55 2 \pm 0,1$
- Frame pitch: $P55 20 \pm 0,1$
- Frame width: $P56 2 \pm 0,1$
- Frame pitch: $P56 20 \pm 0,1$
- Frame width: $P57 2 \pm 0,1$
- Frame pitch: $P57 20 \pm 0,1$
- Frame width: $P58 2 \pm 0,1$
- Frame pitch: $P58 20 \pm 0,1$
- Frame width: $P59 2 \pm 0,1$
- Frame pitch: $P59 20 \pm 0,1$
- Frame width: $P60 2 \pm 0,1$
- Frame pitch: $P60 20 \pm 0,1$
- Frame width: $P61 2 \pm 0,1$
- Frame pitch: $P61 20 \pm 0,1$
- Frame width: $P62 2 \pm 0,1$
- Frame pitch: $P62 20 \pm 0,1$
- Frame width: $P63 2 \pm 0,1$
- Frame pitch: $P63 20 \pm 0,1$
- Frame width: $P64 2 \pm 0,1$
- Frame pitch: $P64 20 \pm 0,1$
- Frame width: $P65 2 \pm 0,1$
- Frame pitch: $P65 20 \pm 0,1$
- Frame width: $P66 2 \pm 0,1$
- Frame pitch: $P66 20 \pm 0,1$
- Frame width: $P67 2 \pm 0,1$
- Frame pitch: $P67 20 \pm 0,1$
- Frame width: $P68 2 \pm 0,1$
- Frame pitch: $P68 20 \pm 0,1$
- Frame width: $P69 2 \pm 0,1$
- Frame pitch: $P69 20 \pm 0,1$
- Frame width: $P70 2 \pm 0,1$
- Frame pitch: $P70 20 \pm 0,1$
- Frame width: $P71 2 \pm 0,1$
- Frame pitch: $P71 20 \pm 0,1$
- Frame width: $P72 2 \pm 0,1$
- Frame pitch: $P72 20 \pm 0,1$
- Frame width: $P73 2 \pm 0,1$
- Frame pitch: $P73 20 \pm 0,1$
- Frame width: $P74 2 \pm 0,1$
- Frame pitch: $P74 20 \pm 0,1$
- Frame width: $P75 2 \pm 0,1$
- Frame pitch: $P75 20 \pm 0,1$
- Frame width: $P76 2 \pm 0,1$
- Frame pitch: $P76 20 \pm 0,1$
- Frame width: $P77 2 \pm 0,1$
- Frame pitch: $P77 20 \pm 0,1$
- Frame width: $P78 2 \pm 0,1$
- Frame pitch: $P78 20 \pm 0,1$
- Frame width: $P79 2 \pm 0,1$
- Frame pitch: $P79 20 \pm 0,1$
- Frame width: $P80 2 \pm 0,1$
- Frame pitch: $P80 20 \pm 0,1$
- Frame width: $P81 2 \pm 0,1$
- Frame pitch: $P81 20 \pm 0,1</$

<div> 苏州沃虎电子科技有限公司 Su Zhou Voohu Electronic Tech.Co.Ltd</div>		TITLE: Transformer	SIZE A4	UNITS MM[INCH]	GENERAL TOLERANCES UNLESS SPECIFIED		APPROVED BY: Geoffrey.Song
		PART NO.: WHS06B07A0	SACLE 1:1	REV A0	x±0.35 .x±0.30	x°±3.0° .x°±2.0°	CHECKED BY: Elvis.Song
TEL: +86 400 1048 018	WEB: WWW.WOHU-TEK.COM	REMARK: Automotive Application	SHEET 2/3		.xx±0.25 .xxx±0.10	.xx°±1.5° .xxx°±1.0°	DESIGND BY: Sunny.Xu


REACH & RoHS
COMPLIANT




Four Reel



Inner Carton



Two Inner Carton



Export Carton

Package Quantity:
One Reel=400Pcs
One Inner Carton=400*4=1600Pcs
One Export Carton=1600*2=3200Pcs

VOOHU 苏州沃虎电子科技有限公司
Su Zhou Voohu Electronic Tech.Co.Ltd

TEL: +86 400 1048 018

WEB: WWW.WOHU-TEK.COM

TITLE:
Transformer

PART NO.:
WHS06B07A0

REMARK:
Automotive Application


SIZE
A4

SACLE
1:1

SHEET
3/3

UNITS
MM[INCH]

REV
A0



GENERAL TOLERANCES
UNLESS SPECIFIED

$x \pm 0.35$	$x^\circ \pm 3.0^\circ$
$.x \pm 0.30$	$.x^\circ \pm 2.0^\circ$
$.xx \pm 0.25$	$.xx^\circ \pm 1.5^\circ$
$.xxx \pm 0.10$	$.xxx^\circ \pm 1.0^\circ$

APPROVED BY:
Geoffrey.Song

CHECKED BY:
Elvis.Song

DESIGND BY:
Sunny.Xu